

AIS Clear Float Glass

Parameters



AIS Clear Glass

Standard Thickness (mm)	Light Characteristics		Solar Energy			U-Value	Shading Co-efficient	Solar Factor
	Reflectance %	Transmittance %	Reflectance %	Transmittance %	Absorption %			
2	8	90	7.6	86.5	5.9	5.81	1.01	88
3	7.9	89.2	7.4	83.9	8.7	5.78	0.99	86.1
4	7.9	88.3	7.2	81.4	11.3	5.75	0.97	84.4
5	7.8	87.4	7.1	79.1	13.8	5.71	0.95	82.7
6	7.7	86.6	6.9	76.8	16.2	5.68	0.93	81
8	8	86	7	73	20	5.6	0.9	78
10	7.5	83.2	6.4	68.7	24.8	5.56	0.86	75.1
12	7.3	81.6	6.3	65.1	28.6	5.49	0.83	72.5